


TGM Major Calipers Analogue

Designed to measure internal or external dimensions. This range of dial calipers gives a method of gauging where extended reach or clearance is required. Carbide measuring faces are standard.



INTERNAL TECHNICAL DATA

Metric

| Model No. | Leg Length L | Graduation | Measuring Range A | Model No. | Leg Length L | Graduation | Measuring Range A |
|-----------|-----------------|------------|----------------------|-----------|-----------------|------------|----------------------|
| TGDC053 | 125mm | 0.02mm | 22-72mm | TGDC051 | 5" | 0.001" | 0.875-2.875" |
| TGDC054 | 125mm | 0.1mm | 22-72mm | TGDC052 | 5" | 0.01" | 0.875-2.875" |

Measuring ranges on internal diameters above 100mm are available as specials.P.O.A.

EXTERNAL TECHNICAL DATA


| Metric | | | | Inch | | | |
|-----------|-----------------|------------|----------------------|-----------|-----------------|------------|----------------------|
| Model No. | Leg Length L | Graduation | Measuring Range A | Model No. | Leg Length L | Graduation | Measuring Range A |
| TGIC063 | 150mm | 0.02mm | 0-50mm | TGIC061 | 6" | 0.001" | 0-2" |
| TGEC063 | 150mm | 0.1mm | 0-50mm | TGEC061 | 6" | 0.001" | 0-2" |
| TGIC064 | 150mm | 0.1mm | 0-50mm | TGIC062 | 6" | 0.01" | 0-2" |
| TGEC064 | 150mm | 0.1mm | 0-50mm | TGEC062 | 6" | 0.01" | 0-2" |
| TGIC103 | 250mm | 0.02mm | 0-50mm | TGIC101 | 10" | 0.001" | 0-2" |
| TGEC103 | 250mm | 0.02mm | 0-50mm | TGEC101 | 10" | 0.001" | 0-2" |
| TGIC104 | 250mm | 0.1mm | 0-50mm | TGIC102 | 10" | 0.01" | 0-2" |
| TGEC104 | 250mm | 0.1mm | 0-50mm | TGEC102 | 10" | 0.01" | 0-2" |
| TGIC224 | 550mm | 0.1mm | 0-50mm | TGIC222 | 22" | 0.01" | 0-2" |
| TGEC224 | 550mm | 0.1mm | 0-50mm | TGEC222 | 22" | 0.01" | 0-2" |

Measuring ranges on external calipers above 50mm are available as specials.P.O.A.



TGM Major Calipers Digital

Digital Major Calipers have a direct Inch/Metric indicator with switchable resolutions of 0.02mm/0.001", 0.05mm/0.0025", 0.1mm/0.005" and 0.2mm/0.010". They have zero and preset facility for both absolute and comparative measurement.



- High contrast digital display
- Switchable resolution: 0.02/0.001", 0.05/0.0025", 0.1/0.005", 0.2/0.010"
- Inch/Metric switchable.
- Zero and preset facility for absolute and comparative readings.
- Output for connection to printer or computer.
- Carbide measuring faces as standard.
- Hold function for ease of reading.
- Min/max function.

| ITPL | | |
|------|--|--|

| Model no. | Description | |
|-----------|-------------|--|
| TGMC010 | RS232 Cable | |
| TGMC020 | MTI Cable | |
| TGMC030 | BCD Cable | |

INTERNAL TECHNICAL DATA

| Model No. | Leg Length L | Graduation | Measuring Range A |
|-----------|--------------|---------------|----------------------|
| TGDC050 | 125mm/5" | 0.02mm\0.001" | 22-72mm/0.875-2.875" |

Measuring ranges on internal diameters above 100mm are available as specials. P.O.A.

EXTERNAL TECHNICAL DATA

| Model No. | Leg Length L | Graduation | Measuring Range A |
|-----------|--------------|---------------|-------------------|
| TGIC060 | 150mm/6" | 0.02mm/0.001" | 0-50mm/0-2" |
| TGIC060 | 150mm/6" | 0.02mm/0.001" | 0-50mm/0-2" |
| TGIC100 | 250mm/10" | 0.02mm/0.001" | 0-50mm/0-2" |
| TGEC100 | 250mm/10" | 0.02mm/0.001" | 0-50mm/0-2" |
| TGIC200 | 550mm/22" | 0.1mm/0.005" | 0-50mm/0-2" |
| TGEC200 | 550mm/22" | 0.1mm/0.005" | 0-50mm/0-2" |

Measuring ranges on external calipers above 50mm are available as specials. P.O.A.